

No	ADI	KODU	MİKTAR
1	SWT52G,10x0,9mm,G 1/2 B	3907422	5
2	101.12.027 4BAR M.KAP-RO 6WI G1/4	7769017	631
3	111.10.063,10BAR,ALT,G1/4B	9052828	55
4	111.10.063,16BAR,ALT,G1/4B	9052810	50
5	111.10.063,-1BAR,ALT,G1/4B	9012974	50
6	111.10.063,40BAR,GÖVDE SİYAH CEL,KL.2,5,ALT G1/4B	13134817	49
7	111.10.063,4BAR,GÖVDE SİYAH CEL,KL.2,5,ALT G1/4B	12335933	22
8	111.10.063,6BAR,GÖVDE SİYAH CEL,KL.2,5,ALT G1/4B	12053619	35
9	111.10.100,16BAR,ALT G1/2B,KL.2,5,SİYAH ÇELİK	9604108	49
10	111.10.100,2,5KG/CM2,,ALT,G1/2B,150*C	13417356	3
11	111.11.050 16 bar G1/4B, 52016-50-W	12439143	3200
12	111.11.050 315 bar G1/4B, 52315-50-W	12439097	2850
13	111.11.050 40 bar G1/4B , 52140-50-W	12439160	5295
14	111.11.050 2.5 bar G1/4B , 52102-50-W	12439194	5799
15	111.11.050,16BAR,SİY ÇLK,OXY,ARKA G1/4B,53016-50-W	13118242	900
16	111.11.050,2,5BAR,SİYÇK,ASETY,ARK G1/4B,53102-50-W	13118307	400
17	111.11.050,315BAR,SİY.ÇLK,ARKA G1/4B,59315-50-W	13118382	120
18	111.11.050,315BAR,SİYÇLK,OXY,ARKA G1/4B,53315-50-W	13118285	900
19	111.11.050,40BAR,SİYÇLK,ASETY,ARK.G1/4B,53140-50-W	13118340	450
20	111.11.063,16BAR,G1/4B,ALT,7200058-W	7505854	25
21	111.11.063,special range,G1/4B,7230072-W	13441761	425
22	111.12.027,300BAR,M10X1,ARKA,SİYAH	13224522	1000
23	111.12.040,-1-0 BAR/PSI,ARKA,G1/8NPT	111.12.040.-1-0/PSI.1/8NP	160
24	111.12.040,10BAR,ARKA G1/8B,PANO	13056809	33
25	111.12.040,10BAR/PS,ARKA,G1/8B, BLACK STEEL,CL.2.5	63502437	21
26	111.12.063,-1-0/PSI,ARKA G1/4B,RED POINTER	111.12.063.-1-0/PSI.RED P	3
27	111.12.063,10BAR,ARKA,G1/4B	9083952	50
28	113.13.050,160BAR,ARKA G1/4B	13419642	2
29	113.53.100,10BAR,ALT,G1/2B	7048242	2
30	113.53.100,16BAR,ALT,G1/2B,GLİS.	7048276	10
31	113.53.100,25BAR,ALT G1/2B,GLY.	7048293	45

32	131.11.050,-100/+1200MBAR,ARKA 287,2MM	13104705	500
33	213.53.050,16BAR/PSI,ARKA G1/4B,PANO (154.13.2003)	7081770	61
34	213.53.063,-1+40BAR/PSI,7/16 UNF,R410A,R744	71035010	100
35	213.53.063,-1+40BAR/PSI,7/16 UNF,R410A,R744	71035036	200
36	213.53.063,-1+60BAR/PSI,7/16 UNF,R410A,R744	71035044	200
37	213.53.063,-1+60BAR/PSI,7/16 UNF,R410A,R744	71035028	100
38	213.53.063,100BAR/PSI,GÖV. SS,GLIS.,ALT G1/4B,PIR.	9351145	1
39	213.53.063,10BAR,ALTTAN G1/4B	9021990	58
40	213.53.063,10BAR/PSI,GÖV. SS,GLIS.,ARKA G1/4B,PIR.	8347670	14
41	213.53.063,16BAR,ARKA,G1/4B	9022244	50
42	213.53.063,16BAR/PSI,G1/4B,ARKA	12245348	1375
43	213.53.063,16BAR/PSI,GÖV. SS,GLIS.,ARKA G1/4B,PIR.	9605083	388
44	213.53.063,16BAR/PSI,GÖVDE SS,GLIS.,ALT G1/4B,PIR.	9307758	74
45	213.53.063,16BAR/PSI,KOMSAN,PANO (154.13.4002)	7081788	50
46	213.53.063,16BAR/R410A -52-+26C,LOGO GEA	213.53.063.16BAR/R410A.	20
47	213.53.063,-1BAR,ALT,G1/4B	9021876	8
48	213.53.063,-1BAR,ARKA,G1/4B	9022082	4
49	213.53.063,1BAR/PSI,GÖV. SS,GLIS.,ARKA G1/4B,PIR.	9022157	4
50	213.53.063,2,5BAR/PSI,GÖV. SS,GLIS.,ARK G1/4B,PIR.	9027452	8
51	213.53.063,250BAR/PSI,GÖV. SS,GLIS.,ALT G1/4B,PIR.	8309515	115
52	213.53.063,25BAR/PSI,G1/4B,ARKA	13436199	100
53	213.53.063,315BAR/PSI,G1/4B	12353826	1
54	213.53.063,400BAR/PSI,GÖV. SS,GLIS.,ARKA,G1/4B	9306094	1
55	213.53.063,40BAR,ARKA,G1/4B	9022406	500
56	213.53.063,40BAR,ARKA,G1/4B,PANO (454600)	12027189	2
57	213.53.063,40BAR,GÖVDE,ALT G1/4B	9022023	40
58	213.53.063,40BAR/PSI,GÖV. SS,GLIS.,ARKA G1/4B,PIR.	9023477	31
59	213.53.063,4BAR/PSI,GÖV. SS,GLIS.,ARKA G1/4B,PIR.	9023476	19
60	213.53.063,600BAR/PSI,GÖV. SS,GLIS.,ALT G1/4B,PIR.	9367009	33
61	213.53.063,600BAR/PSI,GÖV. SS,GLIS.,ARK G1/4B,PIR.	9023471	38
62	213.53.063,60BAR/PSI,GÖV. SS,GLIS.,ARKA G1/4B,PIR.	9359775	189
63	213.53.063,60PSI,ARKA 1/4 NPT	13388101	15
64	213.53.063,6BAR/PSI,GÖV. SS,GLIS.,ARKA G1/4B,PIR.	9605075	15
65	213.53.100,100BAR,GÖVDE SS,ALT G1/2B PIRINÇ,GLIS.	9022678	10

66	213.53.100,10BAR,GÖVDE SS,ARKA G1/2B PİRİNÇ,GLIS.	9023330	32
67	213.53.100,160BAR,GÖVDE SS,ALT G1/2B PİRİNÇ,GLIS.	9022694	8
68	213.53.100,16BAR,GÖVDE SS,ARKA G1/2B PİRİNÇ,GLIS.	9023348	37
69	213.53.100,1BAR,GÖVDE SS,ALT G1/2B PİRİNÇ,GLIS.	9022546	10
70	213.53.100,250BAR,GÖVDE SS,ALT G1/2B PİRİNÇ,GLIS.	9022724	43
71	213.53.100,250BAR,GÖVDE SS,ARKA G1/2B PİRİNÇ,GLIS.	9023402	44
72	213.53.100,25BAR,GÖVDE SS,ALT G1/2B PİRİNÇ,GLIS.	9022635	16
73	213.53.100,25BAR,GÖVDE SS,ARKA G1/2B PİRİNÇ,GLIS.	9023356	18
74	213.53.100,400BAR,GÖVDE SS,ALT G1/2B PİRİNÇ,GLIS.	9022767	31
75	213.53.100,400BAR,GÖVDE SS,ARKA G1/2B PİRİNÇ,GLIS.	9023410	7
76	213.53.100,400BAR/PSI,ARKA G1/2B	9693723	9
77	213.53.100,40BAR,GÖVDE SS,ARKA G1/2B PİRİNÇ,GLIS.	9023364	18
78	232.30.160	TUPRAS00010	40
79	232.30.160	TUPRAS00020	17
80	232.50.063,1BAR/MBAR,ALT,G1/4B	232.50.063.1BAR/MBAR.ALT	5
81	232.50.100,1,6BAR,ALTTAN G1/2B	9050221	1
82	232.50.100,1000BAR,GÖVDE 100MM,ALTTAN G1/2B,KOM.SS	9060227	1
83	232.50.100,100BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9517561	1
84	232.50.100,10BAR,GÖVDE 100MM,ALTTAN G1/2B,KOMPL.SS	9050213	176
85	232.50.100,10BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9010530	20
86	232.50.100,160BAR,GÖVDE 100MM,ALTTAN G1/2B,KOMP.SS	9050264	7
87	232.50.100,160BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9660364	10
88	232.50.100,16BAR,GÖVDE 100MM,ALTTAN G1/2B,KOMPL.SS	9060200	129
89	232.50.100,16BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9010548	30
90	232.50.100,1BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9558594	10
91	232.50.100,-1BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9504923	3
92	232.50.100,-1BAR,KOMPL.SS,ALTTAN G1/2B	9040226	29
93	232.50.100,2,5BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9519106	10
94	232.50.100,2,5BAR,KOMPL.SS,ALTTAN G1/2B	9040200	6
95	232.50.100,25BAR,GÖVDE 100MM,ALTTAN G1/2B,KOMPL.SS	9060219	81
96	232.50.100,25BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9010556	7
97	232.50.100,400BAR,GÖVDE 100MM,ALTTAN	9050280	17

	G1/2B,KOMP.SS		
98	232.50.100,400BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9587721	7
99	232.50.100,40BAR,GÖVDE 100MM,ALTTAN G1/2B,KOMPL.SS	9050230	25
100	232.50.100,40BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9010580	8
101	232.50.100,600BAR,GÖVDE 100MM,ALTTAN G1/2B,KOMP.SS	9050299	26
102	232.50.100,600BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9163590	10
103	232.50.100,60BAR,GÖVDE 100MM,ALTTAN G1/2B,KOMPL.SS	9050248	8
104	232.50.100,60BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9010599	7
105	232.50.100,6BAR,GÖVDE 100MM,ARKA G1/2B,KOM.SS	9010521	2
106	232.50.100,6BAR,KOMPL.SS,ALTTAN G1/2B	9050205	114
107	232.50.100+990.18,6BAR, DN40,KN7	12739287	1
108	232.50.100+990.18,6BAR, DN50,KN7,SMALL VOL.	12739368	3
109	232.50.100+990.27,16BAR,2",CLASS300,KN2	12758761-FUAR ÜRÜNÜ	1
110	232.50.100+990.34,40BAR,KN2	13466543-FUAR NUMUNESİ	1
111	232.50.160,250BAR,ALT,1/2NPT,KONT.821.22	13395131	5
112	233.50.100,-1...15BAR,ALT,G1/2B	9354301	15
113	233.50.100,-1/+30BAR,NH3,ALTTAN G1/2B,GLISERIN	7652004	135
114	233.50.100,1000BAR,ALTTAN G1/2B	9354476	5
115	233.50.100,10BAR,G1/2B,TEST SAMPLE	233.50.100.10BAR.G1/2B.T	1
116	233.50.100,-1-12BAR,ALTTAN G1/2B,N3	7788178	135
117	233.50.100,6BAR,ALT,G1/4B,GLISS.	7277257	1
118	233.50.100+990.18,ALT,KONTAKLI,ELEK.BAĞL.AR, DN25	233.50.100+990.18.KONT.AL	1
119	233.50.100+990.27,6BAR,ARKA, DN40PN10,KN2	233.50.100+990.27.6BAR.AR	10
120	233.50.100+990.N2,6BAR,ALT,SILICON	71041681	1
121	233.50.160 10 bar G1/2B Alt	71036245	2
122	233.50.160,-1+15BAR,ALT G1/2B	9307257	2
123	233.52.063 -1/+1 BAR G1/4B EXCENTER BACK,ULUSOY LO	14023573	2
124	233.52.063 -1/1 BAR D18 M.UEWURFMU M24*1,5, SF6	13494423	3
125	611.13.063,100MBAR,ALT G1/4B	4430550	5
126	990.10,G1/2,COMPLIEDLY WITH CHAMBER	65284216	50
127	990.18 DN40 G1/2 F.UEWURFMU MB0,05 M.FBO 1.4435/31	2126478	1
128	990.18, DN 40,G1/2,FÜLLBOHRUNG	13288068	2
129	990.22 DN1 1/2" G1/2 1.4435/316L 3.1 MB 0,05 M.FÜL	1619330	1

130	990.22,1 1/2 CLAMP	13288262	12
131	990.26 DN1" CL.150 ASME 125-250AA AX VA 316L/VA	2436775	1
132	990.27 DN2" CLASS150 ASME AX 316L/316L-PTFE STAR 3	11198983	1
133	990.27,2",with pressure instr. Conn. G1/2 female	46335668	30
134	990.36,G 1",FİLLER HOLE M6,PN 600	13287835	40
135	990.N2-(990.34)	65072561	1
136	A-10,-1...0BAR,0,5BFSL, 8/30 V DC,G 1/4 A DIN 3852	13392868	1
137	A-10,100BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12728650	10
138	A-10,10BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12783359	46
139	A-10,160BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12730697	10
140	A-10,16BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12718115	48
141	A-10,1BAR,4-20MA,G1/4A DIN 3852-E	12719049	10
142	A-10,-1BAR,4-20MA,G1/4B,0,5BFSL	66089042	10
143	A-10,250BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12816028	144
144	A-10,25BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12816117	10
145	A-10,400BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12810240	43
146	A-10,40BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12834131	8
147	A-10,4BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12835511	10
148	A-10,600BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12816001	20
149	A-10,60BAR,4-20MA,8-30VDC,G1/4B,0,5BFSL	12816133	5
150	A-10,60BAR,4-20MA,8-30VDC,G1/4B,M12X1,4,2M KAB.	14000684	3
151	A2G-30,0...600PA,2M	40199738	5
152	A2G-50,0..2500PA,4..20MA/0..10V	40218228	30
153	A46.10.063,120C,40X9MM,G1/2B	3901378	5
154	A46.10.063,-20+60C,60X9MM,G1/2B	48314552	20
155	A46.10.063,60C,60X9MM,G1/2B	3901351	4
156	A46.10.100,120C,40X9MM,G1/2B	3901556	5
157	A50.10.063,-20...60C,100X9MM,G1/2B	3900436	5
158	A50.10.063,60C,100X9MM,G1/2B	3901645	4
159	A50.10.100,120C,100x9MM,WITH THERMOWELL G 1/2 B	3901912	4
160	A50.10.100,-20+60C,100x9MM,WITH THERMOWELL	3902978	2
161	A50.10.100,60C,100x9MM,WITH THERMOWELL	3901882	1
162	A50.20.063,120C,100X9MM,G1/2B	12013722	5
163	A50.20.063,60C,100X9MM,G1/2B	12282767	5

164	A50.20.100,120C,100X9MM,G1/2B	12013846	5
165	A50.20.100,60C,100X9MM,G1/2B	12282856	5
166	A52.063,-20...60C,ARKA PLAIN,L1=100X8MM	3512789	5
167	A52.063,60C,ARKA PLAIN,L1=100X8MM	3903702	5
168	A52.063/1,100C,ARKA,063X8MM	3513165	5
169	A52.100/1,120C,ARKA,100X8MM,plain,	3904180	1
170	A52.100/1,60C,ARKA,100X8MM	3568857	5
171	A52.100-1,120C,45X8MM,PLAIN	3513408	5
172	A5500/4,Ø100,160X6MM,120C,1/2NPT	46180826	10
173	A5501-3,120C,63X6MM,ARKA G1/2 F	13258479	1
174	C-2,0...60BAR,4...20mA,2m cable	71024638	15
175	C-2,16BAR,G1/4B,4-20MA,2 MKABLO	13347927	171
176	IS-20,-1+1,5BAR,4-20MA,2-FAZ	12145645	1
177	IS-20,16BAR,G1/2B,4-20MA,EEX,WINKELSTECKER,L-PLUG	7495794	1
178	PSD-30,1,6BAR ABS,G1/2B,M12X1	13147529	3
179	PSD-30,100BAR,2 KONT.PNP+4-20MA,G1/4A-DIN 3852-E	13245865	1
180	PSD-30,10BAR,2SW+4-20MA,G 1/4 A DIN 3852-E	13265105	2
181	PSD-30,16BAR,G1/4A-DIN 3852-E,2 KONT.PNP+4-20MA	13220284	1
182	PSD-30,1BAR,2SW+4-20MA,G 1/4 A DIN 3852-E	13312031	1
183	PSD-30,250BAR,2 SWITCH,G1/4A-DIN 3852-E	13186184	5
184	PSD-30,400BAR,2SW+4-20MA,G 1/4 A DIN 3852-E	13234677	4
185	PSD-30,40BAR,4-20MA,2SWITC PNP	13275535	1
186	PSD-30,600BAR,2SW+4-20MA,G 1/4 A DIN 3852-E	13198905	1
187	PSD-30,60BAR,2SW+4-20MA,G 1/4 A DIN 3852-E	13360583	10
188	PSD-30,60BAR,2SWITCH,G1/4A-DIN 3852-E	13226134	5
189	R5502/4,Ø100,160X6MM,120C,1/2NPT	50207709	10
190	R75.100-3,+50+650C,215X13MM,G3/4-F	3636373	8
191	S-10,0...0,1BAR,4-20MA,10-30VDC,G1/2B,KL.0,5%	9083499	5
192	S-10,0...25BAR,4-20MA,10-30VDC,G1/2B,KL.0,5%	9073922	5
193	S-10,1000BAR,4-20MA,G1/2B	9074015	5
194	S-10,100BAR,4-20MA,10-30VDC,G1/2B,KL.0,5%	9073957	1
195	S-10,100MBAR,4-20MA,G1/4B	8372396	1
196	S-10,10BAR,4-20MA,10-30VDC,0,5%,G1/2B	9013547	10
197	S-10,16BAR,4-20MA,10-30VDC,G1/2B,KL.0,5%	9013555	5

198	S-10,250BAR,4-20MA,10-30VDC,G1/2B,L-PLUG	9073973	5
199	S-10,400BAR,4-20MA,10-30VDC,G1/2B,L-PLUG	9073981	6
200	S-10,400MBAR,4-20MA,10-30VDC,G1/2B,L-PLUG	8342801	1
201	S-11,0,1BAR,4-20MA,G1B	9083537	4
202	S-11,0,25BAR,G1B,4-20MA,suitable for food.	13417780	5
203	S-11,0,6BAR,4-20MA,G1B	9021280	3
204	S-11,10BAR,4-20MA,2-FAZ,10-30VDC,0,5%,G 1/2B	9021230	3
205	S-11,16BAR,4-20MA,G1/2B	9021248	2
206	S-11,-1BAR,4-20 MA,G1B	9810714	2
207	S-11,1BAR,4-20MA,G1B,-30...+100C	9021299	5
208	S-11,250BAR,4-20MA,G1/2B	9023569	1
209	S-11,25BAR,4-20MA,G1/2B	9023518	2
210	S-11,6BAR,4-20MA,G1/2B	9021221	2
211	S5505/4,Ø100,160X6MM,120C,1/2NPT	46180303	10
212	SC1560 2K105-0 0/150°C,3M,KOMSAN LOGO(154.13.5001)	6503210	53
213	SC1560,150C,8.5X32,G1/4B	6507232	52
214	SC1560.2K105-0.150C.2M.KOMSAN LOGO	13151045	3
215	SC1560.2K105-00/150C-7M-KOMSAN LOGO (154.13.7001)	13149653	52
216	TF45,-50-+150°C,6x40mm,3M KABLO	13099834	402
217	TF45,-50-+150°C,6x40mm,5M KABLO	13295048	900
218	TF45,-50+150C,1XKTY,10.000 MM KABLO	71029711	200